Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"4952775,6776222,,3961157"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:13
L2	0	"4952775,6776222,3961157"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:13
L3	0	"4952775, 6776222, 3961157"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:13
L4	36	"4952775", "6776222", "3961157"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:14
L5	25	4 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/04 17:41
L6	2	4 and temperature with degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:15
L7	5	4 and temperature with C	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:18
L8	33	electric near2 floor near2 heat\$3 and temperature with C	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:43

L9	0	electric near2 floor near2 heat\$3 and temperature with C with "40"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:19
L10	0	electric near2 floor near2 heat\$3 and temperature with C with "35"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:19
L11	3	electric near2 floor near2 heat\$3 and temperature with C with "50"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:24
L12	1	electric near2 floor near2 heat\$3 and temperature with C with "25"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:24
L13	8	8 and W	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:44
L14	0	8 and Watt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:44